




METALIC

600 x
1200 MM

GLAZED PORCELAIN TILES

OUR SURFACES



PRODUCT FEATURES


- Eco Friendly
- Lead-Cadmium Free products
- Antibacterial Surface
- 100% Replacement for Italian Marble
- Zero Maintenance
- Low Water Absorption
- Abrasion Resistance
- Random Design
- Frost Resistant
- Nano Technology

PRODUCTS

GLAZED PORCELAIN | SLAB TILES
FULL BODY | WALL TILES

Italica is a business that was established in 2004 with the goal of addressing India's necessity of great quality tiles. Italica has developed over time into one of India's top distributors and suppliers of big-format wall and floor tiles.

Italica has a distribution network that provides tiles to independent and local merchants around the nation, and in recent years, we have also entered the worldwide market. Additionally, our skilled retail sales staffs available to provide showrooms with premium merchandising guidance and assistance.




1100+
UNIQUE DESIGNS

100+
INTERNATIONAL CLIENTS

220.5 Mtr.
LONG KILN

3
PRODUCTION LINES

14 Million
SQ.MTR Annual PRODUCTION CAPACITY



600x1200mm | 800x1600mm | 800x800mm | 600x600mm | 1200x2400mm | 1200x1200mm | 200x1200mm



600x1200MM

METALLIC FINISH



600x1200mm


ALLOY AZUL



Random: 4



METALIC



600x1200mm

ALLOY BROWN



Random: 4




METALIC



600x1200mm


ALLOY NERO



Random: 4



METALIC



600x1200mm




BAZA ANTRACITE



Random: 3



METALIC



600x1200mm

BAZA OCRE



Random: 3



METALIC



600x1200mm


CRECK AZUL



Random: 4

- CORRECT RECTIFIED
- WALL
- INTERIOR
- RANDOM
- DOMESTIC
- COMMERCIAL

METALIC



600x1200mm


CRECK COPPER



Random: 4



METALIC



600x1200mm


EL TITANIO



Random: 4



METALIC



600x1200mm

FERRI AZUL



Random: 3



CORRECT
RECTIFIED



WALL



INTERIOR



RANDOM




DOMESTIC



COMMERCIAL

METALIC



600x1200mm

FERRI RUST



Random: 3



METALIC



600x1200mm

FILO ANTRACITE



Random: 4



METALIC



600x1200mm

FILO PEARL



Random: 4



METALIC



600x1200mm


FILO TEAL



Random: 4



METALIC



600x1200mm

FILO AZURE



Random: 4



METALIC



600x1200mm

FILO RUST



Random: 4



METALIC



600x1200mm




FILO VERDE



Random: 3



METALIC



600x1200mm


LAMA HONEY



Random: 1



METALIC



600x1200mm


LAMA TAUPE



Random: 1



METALIC



600x1200mm


LAMA NUT



Random: 1




METALIC



600x1200mm


OMEN AQUA



Random: 5




METALIC



600x1200mm


OMEN BEIGE



Random: 5



METALIC



600x1200mm


OMEN BROWN



Random: 5



METALIC



600x1200mm


OMEN BURNET



Random: 5



METALIC



600x1200mm

OMEN NERO



Random: 5



CORRECT RECTIFIED



WALL



INTERIOR



RANDOM




DOMESTIC




COMMERCIAL

METALIC



600x1200mm


OMEN SKY



Random: 5



METALIC



600x1200mm


OXIDO COPPER



Random: 4




METALIC



600x1200mm


OXIDO LEAD



Random: 3



METALIC



600x1200mm

RUSTY



Random: 3



CORRECT
RECTIFIED



WALL



INTERIOR



RANDOM



DOMESTIC




COMMERCIAL

METALIC



600x1200mm


ROMANO AZUL



Random: 4




METALIC



600x1200mm


ROMANO RUST



Random: 4



METALIC



600x1200mm

TITAN GREY DECORE



Random: 1



CORRECT
RECTIFIED



WALL



INTERIOR



RANDOM



DOMESTIC



COMMERCIAL

METALIC



600x1200mm


TURQUESA DECORE



Random: 4



METALIC



600x1200mm

BAZA NERO



Random: 3



METALIC



600x1200mm

BAZA COPPER



Random: 3



METALIC



600x1200mm




BAZA VERDE



Random: 3



METALIC



TECHNICAL SPECIFICATIONS

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP BIa	Italica VALUE
DIMENSION & SURFACE QUALITY			
Deviation In Length	ISO-10545-2	±0.6%	±0.2%
Deviation In Thickness	ISO-10545-2	±5%	±4%
Straightness Of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.6%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-3	<0.5%	<0.2%
Mohs Hardness	EN-101	DEPENDS ON PRODUCT	MIN.4
Flexural Strength	ISO-10545-4	>35 N/mm2	>38N/mm2
Skid Resistance (friction Coefficient)	ISO-10545-17	-	R9 (6 TO 10 DEGREES)
Breaking Strength	ISO-10545-11	>1300 N	>1800N
Frost Resistance	ISO-10545-12	FROST PROOF	FROST PROOF
Thermal Shock Resistance	ISO-10545-9	NO DAMAGE	NO DAMAGE
Moisture Expansion	ISO-10545-10	NIL	NIL
Resistance To Surface Abrasion	ISO-10545-7	DEPENDS ON PRODUCT	PEI III
Slip Resistance		-	CLASS P2
CHEMICAL PROPERTIES			
Resistance To Acid And Alkalies	ISO-10545-13	NO DAMAGE	GLA
Resistance To Household Chemicals	ISO-10545-16	NO DAMAGE	MINIMUM GB
Color Resistance	ISO-10545-16	NO DAMAGE	NO DAMAGE
Stain Resistance	ISO-10545-14	RESISTANT	RESISTANT

